

# [e] forms & more

## Product History

Improvements  
Bug Fixings

Version 7.5.7

January 9<sup>th</sup>, 2018

## Version

### **Build 7.5.7** (09.01.2018)

#### **Attributes *id* and *name* for RTF Objects on HTML Export**

RTF objects get the attributes *id* and *name* on export to HTML.

### **Build 7.5.6** (05.01.2018)

#### **Conversion of Content on Object Type Change**

On changing the type of objects from *text* to *RTF* or from *RTF* to *text* the content is converted automatically.

#### **Optional Attribute *name* für Text Objects**

A new option has been added to HTML export settings to control if an attribute *name="name"* is added to <div> tags representing text objects if a name is available.

### **Build 7.5.5** (16.12.2017)

#### **Firefox Workaround for Export of Object Groups to HTML**

On export of object groups to HTML the Firefox Browser adds an offset to the vertical position of all inner objects which has the size of the legend font. Other browsers don't do that. Now a Javascript Workaround has been implemented to avoid this.

### **Build 7.5.4** (13.12.2017)

#### **Export of Object Groups to HTML Improved**

On export of object groups to HTML the size of the resulting <fieldset> tag does not longer depend on the default padding. The position of the objects inside does not longer depend on the legend font size.

### Character Limit in Single Line Edit Objects exported to HTML

On export of single line edit objects to HTML Javascripts are generated which take care that not more characters can be inserted into the field than fit into the field width, if the horizontal scrolling is switched off.

### Line Limit in Multi Line Edit Objects exported to HTML

On export of multiline edit objects to HTML Javascripts are generated which take care that not more lines can be inserted into the field than fit into the field height, if the vertical scrolling is switched off.

## Build 7.5.3 (12.12.2017)

### Attribute *name* is Replaced by Attribute *id* for Pages and Zones in HTML Export

On HTML export the <div> tags of pages and zones do not longer get an attribute *name*. They get the attribute *id* instead. All javascripts are adapted.

## Build 7.5.2 (10.12.2017)

### New Code for Checkboxes on HTML Export

On export of checkboxes to HTML a different code is generated from this version on. <label> tags and <input> tags will not be nested any longer.

To provide compatibility of existing forms an option has been implemented in the HTML export settings which allows to create the former created code.

## Build 7.5.1 (08.12.2017)

### HTML Export Creates ID Attributes for Output Objects

The HTML Export creates ID attributes for all output objects which have a name.

### HTML Export Processes Alignment in RTF Texts

Der HTML export processes alignments in RTF texts now.

### HTML Export Supresses *Placeholder* Attributes for Hidden Fields

Der HTML export does not create *Placeholder attributes* for non visible input fields.

## **Build 7.5.0** (02.12.2017)

### **HTML Export Generates HTML5**

The export to HTML generates now HTML5. The result file always starts with:

```
<!DOCTYPE HTML>
```

### **Positioning of RTF Elements in HTML5**

RTF elements got a different position in the document than in HTML4. A workaround has been implemented to get the same position.

### **Active TAB page in HTML Export Settings is Saved and Restored**

The active TAB page in the HTML export settings is saved and automatically restored on next time opening the settings dialog.

### **Active TAB page in PDF Export Settings is Saved and Restored**

The active TAB page in the PDF export settings is saved and automatically restored on next time opening the settings dialog.

### **Save Changes in Global Java Scripts**

Changes made in the global Java scripts via the functions in menu *Scripts* did not set the change indicator of the form and got lost, if the form was closed without being changed. The bug has been fixed.

### **Transparent Page Zones**

Page zones can be displayed with transparent background now in editor.

### **Regular Expression Library Improved**

The library with regular expressions has been improved.

### **Multiple Objects Properties Expanded**

The multiple objects properties dialog has been expanded by the properties: "Do not export to HTML" and "Do not export to PDF". Those properties may be changed now for multiple objects at the same time.

### PDF Export Resolution is Saved Automatically

The PDF export resolution (used to be fix 150) may now be configured by the user. The system saves always the last used value und uses this for new forms.

### User Defined CSS Classes and Styles for Text Objects

User defined HTML CSS classes and CSS styles may be added to every text object.

### User Defined CSS Classes and Styles for Button Objects

User defined HTML CSS classes and CSS styles may be added to every button object.

### Relative CSS File Path in HTML Export Settings

The CSS file which may be configured in the HTML export settings to be automatically embedded to the result file may now be specified either with an absolute or with an relative oath.

### Auto Display of Result after HTML Export

The automatic display of the created file after HTML export may be displayed now either with one of the installed browsers or with any other application which can be configured.

### Improved Export of CAPS Styles

Text objects with attribute *CAPS* set will now be exported in capital letters to HTML and PDF. Input fields with attribute *CAPS* set get the associated HTML attribute automatically.

## Build 7.4.14 (24.11.2017)

### Default of CSS-Styles changed on Export of Input Groups to HTML

Input groups got always the CSS-Style *padding:0px*. This style is not created any longer because this caused mispositionings in Firefox browser.

If the style is needed, it may be added via the Field *Custom CSS* in the object properties.

### Custom CSS-Styles for Input Groups have not been Created

The content of field *Custom CSS* located in the property dialog of input groups has not been exported to HTML. The bug has been fixed.

### Misspelling corrected

Some misspellings have been corrected in the tab *Responsive* oft he HTML settings.

**Build 7.4.13** (21.11.2017)**Input Groups are Exported to PDF**

Input groups which have been established in version 7.4.6. are now exported to PDF as well.

**Build 7.4.12** (05.11.2017)**Option for Export of Body Font in HTML-Export**

In the HTML export settings a new option has been implemented which decides if the base font is added as style to the <body> tag or not.

**Create Page Number Attribute on HTML Export**

On HTML export every page <div> gets a new attribute *data-pagenr* representing the page number.

**Right Justification in Text Objects is not stored to Document**

Text objects with horizontal alignment *right justification* have been stored with alignment *left* instead of *right justification*. The bug has been fixed.

**Multiline Checkbox Labels too large on Export to HTML**

Multiline labels of checkboxes became too wide on export to HTML. The bug has been fixed.

**Centered Alignment is not Displayed on Explicit Line Spacing**

Text objects with alignment *centered* have been displayed with alignment *left*, if an explicit line spacing is set. The bug has been fixed.

**Attribute *aria-required* is not Exported to HTML for File Fields**

Input fields for file names do not get any attribute *aria-required* on export to HTML.

**Build 7.4.11** (20.09.2017)**Filler opens forms in ReadOnly Mode**

The Filler App opens forms now in ReadOnly mode. This avoids sharing problems if more than one filler opens the same form.

### HTML Send Formats are Created When Leaving an Input Field

If send formats have been defined for formatted data fields (dates, numbers, etc.) in HTML export settings, the associated hidden input fields which are created automatically to transfer the formatted data to server are filled now on event *OnBlur*. They used to be created on event *OnSubmit* before.

## Build 7.4.10 (05.09.2017)

### Infield Labels for Export of Combos to HTML with Bootstrap

On export of Combos to Bootstrap the option *Infield Labels* has been implemented.

### Infield Errors for Export of Combos to HTML with Bootstrap

On export of Combos to Bootstrap the option *Infield Errors* has been implemented.

### Glyphicons for Export of Combos to HTML with Bootstrap

Glyphicons may be used in Labels of Combos now.

### Das automatische Löschen von Fehlern bei der HTML-Eingabe ist konfigurierbar

Beim Export eines Formulars nach HTML mit Bootstrap können automatisch erzeugte Fehlermeldungen wahlweise als sogenannter Infield-Fehler direkt unter dem Eingabefeld ausgegeben werden. Diese Fehlermeldungen wurden bisher automatisch gelöscht, wenn die Eingabe in Ordnung ist. Dieses löschen kann jetzt in den HTML-Exporteinstellungen ein- oder ausgeschaltet werden, damit eigene Fehlermeldungen ausgegeben werden können, ohne dass diese automatisch entfernt werden.

### Fehler löschen nach Korrektur in HTML

Infield-Fehlermeldungen wurden zum Teil nicht gelöscht, auch wenn die Eingabe korrigiert wurde. Der Fehler wurde behoben.

## Build 7.4.9 (22.08.2017)

### Web Site Font for TML-Export can be Configured

Die base font of the web site in the <body> tag styles may be configured in the HTML settings.

### User Defined Styles for Web Site on HTML-Export

User defined styles for the <body> tag of the HTML web site may be defined in HTML settings.

### Vertical Offset between Box and Label now Available for Bootstrap

The vertical offset between checkboxes and its labels is now available also for export to Bootstrap.

## Build 7.4.8 (20.08.2017)

### Semantic Checks in HTML Forms

Forms which have been exported to HTML, generate a semantic input check of all input fields which is called automatically before the form is submitted. The check used to be based on the export order of the input fields. Now it is based on the IDs of the input fields. The option that input fields are named unique automatically should be switched on.

## Build 7.4.7 (16.08.2017)

### Export of *Input Groups* to Bootstrap

To improve the design options of input groups on export to Bootstrap, a <div> tag is added to the <fieldset> tag in which all elements of the input group will be embedded.

The style file *eforms.css* provides new classes:

fieldset-inner-bs is assigned to the <div> inside the <fieldset> where all objects are located

fieldset-legend-bs is assigned to the <legend> tag of the <fieldset> tag

The <legend> tag is displayed without any border. But it gets automatically the same background as the <fieldset> if the option is selected to use background design in Bootstrap.

## Build 7.4.6 (15.08.2017)

### New Object *Input Group*

A new object *input group* has been implemented. It is an output object to design groups of input objects.



The object provides a title which is displayed vertically centered around the upper frame. The title is complete inside the object's outline. That means that the upper frame is not the same as the upper part of the outline.

On export to HTML input groups are exported as `<fieldset>...</fieldset>` tags. The title becomes a `<legend>` tag. All objects whose outline is completely inside the input group are embedded into the `<fieldset>...</fieldset>` tags.

If the export does not support Bootstrap, the `<fieldset>` element is explicitly positioned.

If the export supports Bootstrap, no positions are provided.

Input groups may not be used inside zones for HTML export.

## Build 7.4.5 (11.08.2017)

### HTML Export Improvements for Compatibility with W3C-Standard of HTML5

#### **<meta>**

The tag `<meta name="date">` is not created any longer. The creation date is now located in the main comment at the beginning above the `<html>` tag.

Der Tag `<meta name="title">` is not created any longer.

Following `<meta>` tags are created now:

- `<meta http-equiv="content-style-type" content="text/css">`
- `<meta http-equiv="content-script-type" content="text/javascript">`

#### **<form>**

`<form>` tags get always the attribute `action="#"`.

The attribute `role="form"` is not created any longer because the standard recommends to omit attributes which represent the default.

#### **Submit Buttons**

Buttons representing the action *Submit Form* perform the HTML javascript on click now.

#### **<title>**

The `<title>` tag in the HTML header is filled with content in any case. If no title is defined in the HTML export settings, the text *Formular* is used.

#### **<script>**

`<script>` tags get the attribute `type="text/javascript"` instead of `Language="Javascript"`.

**Attribute Name**

The attribute *name*="..." is not created any longer for <img> and <div> tags.

**Automatic Creation of <h1> ... <h6>**

Texts are not embedded into <h1> ... <h6> depending on font size any longer if Bootstrap support is used. They are always created as <div>. <h1> ... <h6> are only created if the text provides an associated *barrier* tag.

**<hr>**

<hr> tags will not be closed with </hr> any longer because this is not the standard.

**Attribute *aria-required* for Input Fields**

<input> tags get the attribute *aria-required*="true", if the input field is required.

**Trailing Spaces in Attribute Values**

All attribute values will be created without any trailing spaces or white spaces.

**Attributes for Dynamic Page Management Renamed**

All attributes appended to <div> tags representing a page to control the appearance of the page via javascript have been renamed, because the standard requires that custom attribute names start with the prefix "data-".

**Attributes for Dynamic Zone Management Renamed**

All attributes appended to <div> tags representing a zone to control the appearance of the zone via javascript have been renamed, because the standard requires that custom attribute names start with the prefix "data-".

**Improvements of HTML Export with Bootstrap Support****Font of Checkbox Labels is Exported**

The font of checkboxes is exported, if the option is selected.

**Attribute *aria-describedby* for Input Fields with Infield Error Display**

On export of input fields with option *infield errors* selected in HTML export settings, the attribute *aria-describedby* is created, pointing to the ID of the element representing the error text.

**Build 7.4.4** (09.08.2017)**Change Date Format for Multiple Objects**

The format of *date* objects or input objects with data type *date* may be changed for multiple objects at the same time. Use function *Date...* in submenu *Formats* of menu *Object*. Objects of other data types or objects not using date formats remain untouched.

**Change Time Format for Multiple Objects**

The format of *time* objects or input objects with data type *time* may be changed for multiple objects at the same time. Use function *Time...* in submenu *Formats* of menu *Object*. Objects of other data types or objects not using time formats remain untouched.

**Change Integer or Float Format for Multiple Objects**

The format of input objects with data type *integer* or *float* may be changed for multiple objects at the same time. Use function *Integer...* or *Float...* in submenu *Formats* of menu *Object*. Objects of other data types remain untouched.

**Change Semantic Check for Multiple Objects**

The semantic check options may be changed for multiple objects at the same time. Use function *Semantic check...* in menu *Object*. Objects which do not use semantic checks are not changed.

**Change Data Type for Multiple Objects**

The data type of may be changed for multiple input objects at the same using the function *Properties...* in menu *Object*. Objects without data type are not touched.

**Vertical Offset Between Box and Label on HTML Export of Checkboxes**

A vertical offset between box and label may defined for the export of checkboxes to HTML.

The offset can be defined either globally for the complete form in the HTML export settings or individual for every single checkbox.

If both values are defined, they are added. The offsets are defined in pixels. Positive values move the box down. Negative values move the box up.

**Build 7.4.3** (05.08.2017)**Export Suppression of Objects is Ignored on Export to Bootstrap**

The flag *Do not export to HTML* has been ignored on export to HTML with Bootstrap support. The bug has been fixed.

**Default Content of Multiline Input Fields is not Exported to Bootstrap**

Die default content of multiline input fields has not been exported to HTML with Bootstrap support. The bug has been fixed.

**Build 7.4.2** (02.07..2017)**Language attribute in HTML Export**

The attribute `lang='de'` is set to `<html>` tag now. It used to be set to `<body>` tag.

**Handicap Tag in HTML Export**

Texts will be converted to `<h1>` ... `<h6>` tags instead of a `<div>` tag, if the handicap info of the text object is *Head x*.

**Build 7.4.1** (30.06.2017)**Export of Font Sizes to HTML in Percent**

The export of font sizes in percent is now also implemented for RTF objects.

**Line Spacing in Multiline Checkboxes**

If an explicit line spacing for the HTML export has been defined for multiline checkboxes, the spacing is now also shown in editor.

**Build 7.4.0** (27.06.2017)**Export of Font Sizes to HTML in Percent**

A new option has been implemented which allows to export all font sizes in percent but in points.

### **New Language Attribute in HTML Export**

On export to HTML the language attribute is set to <body> -tag. Currently German language is coded fix (lang='de').

### **Base Font for HTML Export**

On export to HTML a base font is written to <body> tag. All percentages refer to the size of the base font.

## **Build 7.3.10** (16.06.2017)

### **Bug on Exporting RTF to PDF**

On exporting RTD objects to PDF the editor crashed if fonts were missing. The bug has been fixed.

## **Build 7.3.9** (07.06.2017)

### **Line Spacing for Export of Checkboxes with Multiline Labels**

An explicit line spacing may be defined for the export of checkboxes with multiline labels.

### **Date Picker in HTML Export start with Monday**

Date pickers which are automatically created for HTML forms start now from Monday but from Sunday.

### **Display of Transparent Images in PNG Format**

Transparent pixels in PNG images will be filled with the background color which is defined in the image. If no background color is defined, a chess board pattern is shown as background.

## **Build 7.3.8** (12.05.2017)

### **Checkboxes with Multiline Labels**

Checkboxes may be associated with multiline labels now.

## Build 7.3.7 (10.05.2017)

### Geo Sorting of Exported Objects

The HTML export has been extended by a new option which allows to sort all exported objects by their geometric position. Objects belonging to the same group are sorted group wise.

## Build 7.3.6 (08.05.2017)

### Inline Error Messages on Filling out HTML Form

On HTML export with Bootstrap support a new mode has been implemented which makes it possible to show *inline error messages*. Those messages are shown below the affected input field.

The message is cleared automatically if the field content has been corrected and the cursor leaves the field.

The option is available in the HTML export settings in the TAB *Responsive*.

### Set Focus to bad Field after Displaying Error in HTML

On filling out a form in HTML, the focus is automatically set back to the input field causing the error after showing the error message in an alert box.

### Configurable ALT Attribute on Exporting Pictures to HTML

On export of pictures to HTML it is possible now to define the content of the ALT attribute in the HTML image tag.

### Custom CSS Classes and Styles for HTML Background Images

On HTML export it is possible now to define custom CSS classes and styles for the background image which is designed in TAB *Website* of the export settings.

## Build 7.3.5 (02.03.2017)

### Popups for Picture Objects on Mouse Over in HTML

A popup text may be defined for picture objects. If the picture is exported to HTML, a popup element is created automatically which is shown and positioned if the mouse is over the picture and hidden otherwise.

## Build 7.3.4 (27.02.2017)

### New Macro Events for Data Access Objects

For data access objects (like ODBC access) a new macro event *OnRecordSelection* has been implemented. It is called every time a selection has finished.

## Build 7.3.3 (13.02.2017)

### Error on Export Multi Page Forms to HTML with Bootstrap Support

On export of forms containing more than one page to HTML with Bootstrap support some objects were not exported well. This caused Javascript errors on runtime. The bug has been fixed.

## Build 7.3.2 (06.02.2017)

### Export of Zones to HTML with Bootstrap Support

On export of forms containing zones to HTML with Bootstrap support every zone is exported as separate unit and its visibility may be controlled by other objects. This functionality was available only for forms without bootstrap support before.

### Moving Objects with Fixed Positions

If in a group of selected objects some have a fixed position and some have not, any moving of the group used to be denied. This behaviour has been changed. Now all objects which are not fixed are moved and the others stay in their position.

### Sizing Objects with Fixed Sizes

If in a group of selected objects some have a fixed size and some have not, any sizing used to be denied. This behaviour has been changed. Now all objects which are not fixed are sized and the others keep their size.

## Build 7.3.1 (04.02.2017)

### HTML Export Settings have been Extended

The HTML export settings have been extended by the TAB page *Site*. Minimum and maximum page size may be defined here in pixels. A background image may be designed.

### Hot-Key for HTML Export Settings

The Dialog for the HTML export settings may be opened now by Strg+Shift+H.

### Hot-Key for PDF Export Settings

The Dialog for the PDF export settings may be opened now by Strg+Shift+P.

## Build 7.3.0 (03.02.2017)

### New Object Type *HTML Code*

A new object type *HTML Code* has been added. A HTML Code object provides native HTML code which result a separate `<div>`-Tag on export to HTML.

This allows to create HTML Code, which is not based on any form objects.

### CSS File for HTML Export

The properties for HTML export configure if the CSS file provided by *eforms & more* or a user defined CSS file is used.

Now also both files may be used together.

### Export Rectangles to Bootstrap

Rectangles are now exported HTML with Bootstrap. They have full width in the Bootstrap page and have the height defined in the form.

### Extension of object *Responsive Container*

The object *Responsive Container* which is designed for the export to HTML with Bootstrap classes, has been extended by some new features. The following components may be defined for every container:

- Border around the container in the exported HTML
- User defined CSS string for the container
- List of user defined classes, which is attached to the container
- List of user defined classes, which is attached to every partition of the container

Following components may be defined separately for every partition in the container:

- User defined CSS string, which is attached to a single partition
- List of user defined classes, which is attached to a single partition



### **New Features for *Picture Objects***

*Picture* objects can store user defined CSS classes and CSS styles which will be added to the HTML object on export to HTML or Bootstrap.

### **New Features for *Input Objects***

*Input* objects can store user defined CSS classes and CSS styles which will be added to the HTML object on export to HTML or Bootstrap.

### **Infield Labels for Input Fields on HTML Export with Bootstrap**

Input fields which are exported to HTML with Bootstrap support and which have an associated label have a new design option *Infield Label*. If the option is set, the label is positioned inside the input field.

### ***Glyphicons* for Labels of Input Fields in HTML Export with Bootstrap Support**

For input fields which are exported to HTML with Bootstrap support, the *Bootstrap Glyphicons* are supported now. They can be appended to any input field label. On click a popup window is opened showing the long comment of the input field.

## **Build 7.2.9** (24.01.2017)

### **Arrange Objects**

The functionality of the function *Arrange Objects* has been changed.

When objects are arranged vertically they will be arranged in the order depending on the current vertical positions. The primary selected object has no meaning any longer for arranging.

Horizontal arranging has been changed in the same way.

The *Alignment* of objects has not been changed. The alignment is still based on the primary selected object.

A short key *Strg+R* has been added for function *Arrange Objects*.

## **Build 7.2.8** (20.01.2017)

### **Arrange Objects with Equal Distances**

The function *Arrange Objects* has been extended. It is now possible, to arrange objects vertically or horizontally so that they have all the same distance from each other.

### Explizit Selection of Next Object to be Assigned when Defining TAB Order

The function *Set TAB Order* has been extended so that while defining a TAB order any object may be declared to be the next to be assigned by clicking on it with CTRL key pressed.

### Move Objects with *Fixed Position* via Keyboard

Selected objects with property *Fixed Position* set may be not be moved via keyboard any longer.

### Size Objects with *Fixed Size* via Keyboard

Selected objects with property *Fixed Size* set may be not be sized via keyboard any longer.

## Build 7.2.7 (17.01.2017)

### Auto Enlarge of Text Objects in Variant Equalization

The *Variant Equalization* has been enhanced by a new option which auto enlarges text objects if content becomes longer.

### Lost Text on Export of RTF

On export of RTF texts to HTML or PDF sometime text was lost. The bug has been fixed.

### Lost Frame on Export of Multiline Input Objects

On export of multiline input fields to HTML the frame became invisible in some browsers. The bug has been fixed.

## Build 7.2.6 (28.12.2016)

### Consolidate multiple Lines to one Rectangle

The function has been extended and includes now also rectangles.

## Build 7.2.5 (November, 24<sup>th</sup> 2016)

### Variant Equalization

The function *Equalize Variants* has been changed. The equalization is now based only on object names – no matter on which page or in which zone the objects in the destination variant are located.

### Export or Import Combo Lists

The item lists of combo objects may be exported to a CSV file or imported from a CSV file.

### Property *Required* for Checkboxes

The property *Required* may be specified for checkboxes. A checkbox with this property set must be set when saving or printing the form.

The property is also exported to HTML as attribute *required*.

### Consolidate multiple Lines to one Rectangle

A new function allows to consolidate a set of (at least 4) lines to one rectangle.

### Create Automatic Position Based TAB Order

A new function allows to assign a new TAB order to all input objects on a page. The new TAB order is based on the position of the objects on page.

### Justified Text on HTML Export

A new horizontal alignment mode *justified* has been implemented for multiline text objects. The justification is only relevant for HTML export. All other components ignore the alignment.

### Anzeige der HTML-Export-Zeilenhöhe im Editor

When a line spacing is defined for the HTML export of multiline text objects or RTF objects, the editor displays the line spacing for better object arrangements.

### New RTF Parser

The RTF parser which is used to convert RTF texts to PDF or HTML has been renewed completely.

### Automatic Clearing of Input Fields on Collapsing Dynamic Zones

On export of forms containing dynamic zones to HTML a new option may be set which creates java script to clear the content of all input fields on collapsing the zone.

## Build 7.2.4 (November, 3<sup>rd</sup> 2016)

### Input Control Border on HTML Export with Bootstrap

On export to HTML with option *Bootstrap* the border design may be exported as defined in form editor optionally. If the explicit design is used it overrules the bootstrap design.

### Selectable Form Class on HTML-Export with Bootstrap

On export to HTML with option *Bootstrap* the form class may be defined now in HTML settings.

## Build 7.2.3 (September, 15<sup>th</sup> 2016)

### Container Object's Frame Color

The frame color of container objects was not loaded from file when reading a form. The bug has been fixed.

### Input Fields Vertical Centered on PDF Import

On importing a form from a PDF-File all input objects are set to *vertically centered* automatically.

## Build 7.2.2 (September, 5<sup>th</sup> 2016)

### Input of numbers with up to 9 digits in HTML

In integer input fields usually numbers up to 999.999.999 may be entered. In HTML therefore the length of input had been restricted to 9 characters. This made it impossible to input numbers with 9 digits and also thousand separators. The bug has been fixed.

## Build 7.2.1 (September, 5<sup>th</sup> 2016)

### User Defined Color for Container Objects

The frame color of container objects is now configurable by user.

### Right Aligned Pictures in HTML Export with Bootstrap

Right aligned pictures will now displayed right aligned in HTML with Bootstrap.

### Codepage Coding Completed

The coding of HTML pages in the selected codepage has been enhanced. Some components had not been coded well. The bug has been fixed.

## Build 7.2.0 (August, 26<sup>th</sup> 2016)

### HTML-Export Supports Bootstrap

The HTML export supports *Bootstrap Classes for Responsive Design* since version 7.2.0. The export can be performed now either in classic style or with Bootstrap support.

The form's HTML export settings have been extended by a new page *Bootstrap*. Here all Bootstrap settings may be configured.

Following objects are exported as Bootstrap Objects:

- Texts
- RTF-Texts
- Pictures
- Buttons
- Inputfields
- Comboboxes
- Checkboxes
- Lines

### Extended Object Properties for Bootstrap

If Bootstrap support is activated in HTML settings, the property dialogs of all objects being exported to Bootstrap are extended by some Bootstrap specific controls.

### Neues Container-Objekt für den Bootstrap-Export

If Bootstrap support is activated in HTML settings, the editor provides a new object with the name *Responsive Container*. It allows to assign single objects or groups of objects to grid columns of responsive grids which automatically are formatted by Bootstrap HTML classes.

### Extended Configuration for Bootstrap

The editor settings have been extended by some URLs where the location of Bootstrap scripts and styles may be defined. They will be embedded on export into the final HTML.

### Assign Text Objects as Labels to Input Objects

Text objects may be assigned as labels to input objects now. The assignment may be performed manually or with a batch function for multiple pairs of objects.

## **Build 7.1.0** (August, 8<sup>th</sup>, 2016)

### **Duplicate Objects**

The function *Duplicate* in menu *Edit* is now available also for objects associated with a page zone.

### **Selecting Character Set for HTML Export**

The character set of the created HTML page can be selected now in the options of HTML export.

### **Objects are Sorted in Batch Editing**

In Batch Editing the object list is sorted now by page number, object type and tab index, if the object is an input object. Output objects are sorted by their position.

### **Arrange Zones**

A new function has been implemented to arrange all zones of a page automatically.

### **Extended Zone Properties**

The dialog which shows all zone properties has been extended by an edit field for the zone height.

### **Automatic Page Size on Expanding or Collapsing Zones in HTML**

A new option has been added to the HTML export options. If it is set, the HTML page size is adjusted to the bottom of the last visible zone any time a zone is expanded or collapsed.

### **Display of File Name in Window Title**

The layout of the file name display in the window title may be configured by user in function *Settings* in menu *Extras*.

### **No Jump to First Page after HTML Export**

On exporting a form to HTML the editor used to jump back the first page of the form after the export. Now the editor does not jump back to page one except the form has a variant with the name HTML which is automatically activated before the export.

### Bug on exporting date input fields with picker to HTML in Firefox Browser

On opening forms exported to HTML which contain date input fields which open an automatic date picker in *Firefox* Browser there was a bug that displayed the term *false* on first time the focus was set to the input field. The bug has been fixed.

## Build 7.0.7 (February, 03<sup>rd</sup>, 2016)

### Switching Off Auto Naming of Buttons with Identic Names

The options of PDF export have been extended by a new checkbox which switches on or off the auto naming of buttons with identic names.

## Build 7.0.6 (December, 21<sup>st</sup>, 2015)

### Codepage 1252 for HTML Export

Exported HTML pages are now coded with code page *WINDOWS-1252*. This has no meaning for the HTML body because critical characters are coded as entity anyway. But the code page affects also all java scripts (embedded or not) which contain special characters like the €.

### Export of Input Fields and Combo Boxes with Open Frames

Die frame property *open on top* is exported to HTML and PDF now for input fields and combo boxes.

### Explicit Line Spacing for Export of Text Objects and RTF Objects

The line spacing for the export to HTML and PDF may be defined explicitly now for multiline text objects and PDF objects.

### Unique Names for Buttons on PDF Export

Buttons with the same name are not allowed in one form if the form is exported to PDF. If buttons with same names are detected they are renamed on export uniquely.

### Error on Processing *Author* Tags in RTF

RTF objects whose RTF content contains an *author* tag have not been processed well. The bug has been fixed.

**Build 7.0.5** (November, 15<sup>th</sup>, 2015)**Export order of Zones exported to HTML**

Zones used to be exported to HTML in their native order. This behavior has been changed. Zones are exported now ordered by vertical position.

**Build 7.0.4** (November, 13<sup>th</sup>, 2015)**Input Fields attached to Page Zones have not been formatted on Submit in HTML**

For date fields on export to HTML a format may be defined which is used to format the content of those fields on submit to server. The formatting did not work in fields which have been attached to a page zone. The bug has been fixed.

**Build 7.0.3** (November, 6<sup>th</sup>, 2015)**Page Overhang now also for Zones**

The overhang settings which may be set in *Extras – Settings* allow to configure how far objects may be moved outside page bounds. The same value is used now also for zones.

**Lines Located in Zones Disappeared on HTML Export**

Lines, which are located in zones sometimes disappeared in HTML export because their positions have been calculated relative to the page but to the zone. The bug has been fixed.

**Build 7.0.2** (October, 28<sup>th</sup>, 2015)**Automatic Naming or Nameless Objects on Duplication of Variants**

A new option has been added to function *Duplicate Variant*. It automatically names all nameless objects in the variant to be duplicated.

**Buttons Located in Zones Disappeared on HTML Export**

Buttons, which are located in zones sometimes disappeared in HTML export because their positions have been calculated relative to the page but to the zone. The bug has been fixed.



## Build 7.0.1 (October, 3<sup>rd</sup>, 2015)

### Name of the Form in HTML-Export

The name of the form which is written to the attribute *name* of the `<form>` tag of the HTML form may be configured now in the HTML export settings in the TAB *Sending*.

## Build 7.0.0 (August, 28<sup>th</sup>, 2015)

### Variants

A new variant management has been added to the form editor. It allows to manage not only one but many different page chains. Variants are named uniquely. Every new form automatically gets a variant *Standard*.

Existing forms may be used without any restrictions. If you open an old style form automatically a variant with the name *Standard* is created representing the pages of the form. This makes the variant technology completely upward compatible.

Variants are only represented in the form editor. The filler does not know anything about variants and shows always the *Standard* variant.

### Variant Manager

For the administration of variants a variant manager has been implemented. It is located in the *Form* menu. The variant manager allows to select the currently active variant. It also offers the following functions:

- Add new variants
- Duplicate variants
- Rename variants
- Delete variants

The variant manager is non modal and may stay open while editing the form. This allows to switch easily between variants.

### New Button Bar for Variants

A new button bar for variants has been implemented as well. You may activate it via function *Button bars* in menu *View*. It offers buttons to open or close the variants manager and also a combo box to switch between variants.

### **Automatic Variant Activation on HTML or PDF Export**

In the export settings an option may be set, which activates variant HTML automatically on export to HTML or variant PDF on export to PDF.

### **Adjust Object Properties between Variants**

A function has been implemented, which adjusts properties of objects between two variants. The adjusting is based on object names. So all objects should be named uniquely either automatically or manual.

### **Automatic Generation of Object Names**

A function has been implemented which creates unique names for all selected objects on a page which do still not have any name.

### **Show or Hide Zones depending on Radio Buttons**

Zones may now also be shown or hidden depending on a radio button. This functionality is also available in forms exported to HTML. At least one of the radios must have the name which is used as reference object in the pages show control.

### **Show or Hide a Zone via Javascript Function**

A global Javascript Function *showZone* has been added which shows or hides a zone depending on its name. The function has two parameters. The first one is the zone name and the second one is a boolean value which decides about showing or hiding the zone.

## Version 6

### Build 6.11.2 (August, 17<sup>th</sup>, 2015)

#### Show or Hide Pages depending on Radio Buttons

Pages may now also be shown or hidden depending on a radio button. This functionality is also available in forms exported to HTML. At least one of the radios must have the name which is used as reference object in the pages show control.

#### Show or Hide a Page via Javascript Function

A global Javascript Function *showPage* has been added which shows or hides a page depending on its name. The function has two parameters. The first one is the page name and the second one is a boolean value which decides about showing or hiding the page.

### Build 6.11.1 (August, 5<sup>th</sup>, 2015)

#### Show or Hide Single Pages

A new functionality has been implemented which makes it possible to show or to hide single pages. In the page properties some new fields have been added to control the page visibility. The visibility may depend on the state of a checkbox or on the selected entry of a combo box.

The functionality is also supported in forms which are exported to HTML.

### Build 6.11.0 (July, 17<sup>th</sup>, 2015)

#### Extended Functions for Page Zones

The functions for page zone editing have been extended.

For every selected page zone a center box is displayed. You may pick the zone here with the mouse and move it to any position on the page.

Selected zones may be sized now using keyboard keys *Shift+Up* and *Shift+Down*.

On creating a new page zone all existing page zones will be unselected and the new one will be selected.

### Bug fixed on Delete Page Zone

Deleting a selected page zone killed all available zones instead of the selected one. The bug has been fixed.

### Export of Page Zones to HTML

The export of page zones to HTML has been extended. Zones will be exported as separate <div>-Tag. All objects belonging to the zone will not be positioned page relative any longer. They will be embedded into the zone <div> and get zone relative positions.

Zones which have a fix position on page, get the CSS style *position:absolute*.

Zones whose position is relative to other zones, get the CSS style *position:relative*.

### Creating Javascript Code for Expanding and Collapsing Zones in HTML

On export of relatively positioned zones to HTML Javascript code is created automatically which expands or collapses the zone in browser depending on the state of the checkbox or combobox which is associated with the zone to control expansion.

## Build 6.10.9 (July, 17<sup>th</sup>, 2015)

### Position of newly created Objects

Newly created objects have been placed outside page. The bug has been fixed.

## Build 6.10.8 (July, 12<sup>th</sup>, 2015)

### Bad Checkbox rendering on PDF Export

Sometimes not all field attributes of Checkboxes were correctly exported to PDF. The bug has been fixed.

## Build 6.10.7 (July, 3<sup>rd</sup>, 2015)

### Bad Checkbox Presets on PDF Export

Checkboxes used to have bad presets on PDF export. The bug has been fixed.

**Build 6.10.6** (May, 20<sup>th</sup>, 2015)**Combo HTML Export improved**

The export of combo boxes to HTML has been improved. If the combo box has the option to type free input, instead of a <select> tag an <input> tag is created with a <datalist> tag linked.

**Build 6.10.5** (April, 12<sup>th</sup>, 2015)**Input check does not get lost when object type is changed**

On changing the type of an object, the input check (syntax and semantic) got lost. The bug has been fixed.

**Epilog und Prolog for PDF export**

The export to PDF has been extended. A prolog PDF file and an epilog PDF file may be configured and are inserted to the exported PDF file.

**Font bug fixed on PDF export**

On exporting a form to a PDF file fonts with zero height are exported with attribute *automatic font size*. The font face got lost sometimes in this case. The bug has been fixed.

**PDF import improved**

On PDF import the algorithm to assemble texts has been improved.

**Build 6.10.4** (January, 21<sup>st</sup>, 2015)**Text truncated in HTML Input Fields**

Depending on content text has been truncated sometimes in input fields of type HTML. The bug has been fixed.

**Build 6.10.3** (December, 17<sup>th</sup>, 2014)**Export empty lines to PDF**

On export of RTF texts to PDF empty lines have been exported with a height of 0. The bug has been fixed.

### Export quotes to PDF

On export of RTF texts to PDF closing double quotes have not been exported. The bug has been fixed.

## Build 6.10.2 (December, 1<sup>st</sup>, 2014)

### Memory Leak on Export of Large Forms to PDF

On Exporting large forms to PDF a memory leak has been fixed.

### Export of Specific Character Sequences to PDF

Some character sequences have not been exported to PDF correctly (i.e. upper double quotes). The bug has been fixed.

## Build 6.10.1 (November, 18<sup>th</sup>, 2014)

### New Display Options for the Filler

The display options which can be defined by the form editor have been extended by some options to control the filler's main window:

- Hide button bar
- Hide menu bar
- Hide status bar
- Set explicit title for main window
- Set explicit title for form window

### New Macro Statements for Filler Window Control

New macro statements have been added to control the filler main window.

- HideButtons      Switch button bar on or off
- HideMenu        Switch menu bar on or off
- HideStatus      Switch status bar on or off
- SetWindowSize    Set main window size

### Export of empty combo items to PDF

Empty items have not been exported to PDF files. Now empty items are coded automatically to items containing one space. Those items are exported correctly to PDF.

**Build 6.10.0** (November, 11<sup>th</sup>, 2014)**Simple editing of multiline text objects**

The text object property sheet allows direct editing of single line and multiline texts now. It is not necessary to open a separate editor for multiline texts.

**Simple editing of global Java Scripts for HTML and PDF export**

Global Java Scripts for HTML and PDF export can be edited now without opening the export property sheets. Shortcuts Strg+Alt+P and Strg+Alt+H are available for these functions.

**External Editors for Editing of Macros and Java Scripts**

External Editors may be configured for the editing of macros and Java Scripts. If no external editor is configured, the build in editor is used.

**Optional HTML Coding on Exporting Text Objects**

On exporting text objects to HTML, characters which have a special meaning in HTML like (<, > or &) are encoded in to so called HTML entities. This may be switched of optionally now. If the coding is switched off, the author is responsible for correct HTML code in the text object.

**Exclude Objects from Export to HTML or PDF**

Objects may be optionally excluded from export to HTML or PDF.

**No Date Picker in Read Only Fields**

Read only input fields do not open automatic date pickers any longer.

**Covert a set of single line text objects to one multiline text object**

A new function is provided, which creates a multiline text object from all selected single line text objects.

**Automatic created java scripts check bad year values in dates**

Automatic created java scripts for checking semantic and syntax of date inputs find years which do not make sense.

## Build 6.9.5 (August 22<sup>nd</sup>, 2014)

### CSS Styles for Hiding Objects in HTML Export

On HTML export the CSS style used to hide objects has been changed from *visibility:hidden* to *display:none*.

## Build 6.9.4 (August 19<sup>th</sup>, 2014)

### Convert Narrow Rects to Lines when Importing a PDF File

There is a new option available in PDF import which convert narrow rects to lines automatically.

## Build 6.9.3 (August, 15<sup>th</sup>, 2014)

### Preset Objects with Default

The function *Preset objects with defaults* which is located in menu *Edit* of the Filler had a bug. Only the current page has been affected. The bug is fixed. Now the complete form is preset.

### PDF Import improved

The import of PDF files as form has been improved.

## Build 6.9.2 (August 1<sup>st</sup>, 2014)

### Field Separators

The maximum number of input field separators has been increased from 30 to 40. So it is possible to create separated input fields for SEPA banking transactions.

### New header for exported HTML documents

The header created for exported HTML documents has been changed. It is now:

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd">
```



**Build 6.9.1** (July 5<sup>th</sup>, 2014)**PDF Import improved**

The PDF import has been improved.

**Build 6.9.0** (June 20<sup>th</sup>, 2014)**New Function: PDF Import**

In menu *File* a new function *Import new form from PDF file* has been added.

A dialog is opened. It presents some parameters to be configured. After a PDF file has been selected, the file content may be imported as new form.

The newly imported file is unnamed and must be named on save.

**Automatic font sizing on PDF export**

The PDF export options have been extended. If the option is set, that input objects are exported as static text, another option may be selected which automatically shrinks the font size, if the field content does not fit to the input object rect.

**New PDF export option: *Export only printable objects***

A new PDF export option has been added. It allows to export only printable objects.

**Error loading external texts into RTF objects**

On loading external RTF texts into RTF objects the software sometimes crashed because of a buffer overflow in the RTF color table. The bug has been fixed.

**HTML Meta Tags**

Attributes *name* and *content* are added to every <meta> tag on HTML export.

**HTML attribute *readonly***

The attribute *readonly=""* has been replaced by *readonly="readonly"* in HTML export.

**HTML attributes *rows* and *cols* for <textarea> tags**

The attributes *rows="1"* and *cols="1"* are added to every <textarea> tag on HTML export.

### HTML attribute *type* for <language> tags

The attribute *type*="text/javascript" is added to every <language> tag linking a javascript file.

## Build 6.8.11 (May 13<sup>th</sup>, 2014)

### Extra tags to be exported to HTML header

The parameters for HTML export have been extended by a new tap page which allows to enter some extra tags which are exported to HTML header on HTML export. This is very useful if additional scripts are to be used.

### Easy time input

In input fields with format *time* the time may be entered like 0855 instead of 08:55.

### Transparent pictures remain transparent on HTML export

Transparent pictures are not any longer exported with a white background to HTML but with a transparent background.

## Build 6.8.10 (April 16<sup>th</sup>, 2014)

### Input of character & for HTML Links

On input of HTML links the character & has not been accepted. The bug has been fixed.

### Empty items in combo boxes

Empty items in combo boxes have been removed automatically. This behavior has been changed. Empty items are allowed now.

### Short comment text as *Mouse Over* text on HTML export of buttons

On exporting buttons to HTML the short comment is exported as mouse over text.

## Build 6.8.9 (April 10<sup>th</sup>, 2014)

### Missing notification messages on changing edit content via macro

On changing content of edit fields via macro script no notification was sent to form window owner. The bug has been fixed.

**Build 6.8.8** (March 26<sup>th</sup>, 2014)**Context menu**

Plain text edit fields hat no context menu in run mode. The bug has been fixed.

**Memory leaks fixed**

On switching to run mode memory leaks were created. The bug has been fixed.

**Build 6.8.7** (March 13<sup>th</sup>, 2014)**Memory leaks fixed**

On operating eforms for a long time, some memory leaks were created. The bug has been fixed.

**Build 6.8.6** (February 18<sup>th</sup>, 2014)**Bug fixed in memory management**

A bug has been fixed in memory management. From to time the main window was closed together with the current form.

**Build 6.8.5** (February 6<sup>th</sup>, 2014)**Export of separated input fields to PDF**

The export of separated input fields to PDF has been implemented.

**Bugs fixed in English translation**

Some bugs have been fixed in the English translation.

**Function *Select all* in multiline input fields**

Function *Select All* (Shortcut Ctrl+A) has been improved and is available also in multiline input fields now.

**Export of RTF or HTML input fields to HTML**

The export of filled input fields in RTF or HTML to a HTML document works correct now.

## Build 6.8.4 (January 20<sup>th</sup>, 2014)

### New Macro Functions

Some new macro functions have been implemented:

<b>Alert</b>	Display a message in a system modal window
<b>GetFontProperty</b>	Read object font properties
<b>SetFontProperty</b>	Set object font properties

### New Form Macro Events

Some new form macro events have been added:

<b>On double click on any object</b>	Event: <i>OnAnyObjectDbkClk</i>
<b>On right click on any object</b>	Event: <i>OnAnyObjectRightClick</i>

### New Macro Events for Buttons

A new macro event for buttons has been added:

<b>On right click to the button</b>	Event: <i>OnObjectRightClick</i>
-------------------------------------	----------------------------------

## Build 6.8.3 (January 20<sup>th</sup>, 2014)

### Common object properties have been extended

The property *Input required* has been added to the *Common object properties* dialog.

## Build 6.8.2 (January 17<sup>th</sup>, 2014)

### Java scripts may be embedded in HTML file on HTML export

A new option has been implemented which causes Java Scripts being embedded in HTML file on HTML export.

## Build 6.8.1 (January 13<sup>th</sup>, 2014)

### Automatic rotation of pictures

Pictures with an implicit rotation defined in EXIF metadata are displayed now automatically with the defined rotation.

### New API-Routine

A new API routine has been implemented which inserts a text into the Windows Control of the currently active input field. The name of the routine is:

*FormObj\_InsertToControl*

The routine is documented in the API documentation *formdev-049.pdf* which is only available in German language.

## Build 6.8.0 (December 21<sup>st</sup>, 2013)

### Export a filled form to HTML

A new HTML export mode has been added. Filled out forms may be exported as non interactive read only HTML page. The export as interactive java script driven HTML form is available as well. The new mode can only be used if the form is in run mode.

Input fields will be exported with their current input. The cursor may be set to those fields but they stay read only. Combo boxes, check boxes and radio buttons will be exported with the current state and the attribute *disabled*. So they are read only cannot be changed. Buttons will not be exported, because the HTML form is non interactive.

The new mode is also available as API function. Just set the flag *FORM\_EXPORT\_FILLED* in the export function *Form\_Export*.

## Build 6.7.15 (December 19<sup>th</sup>, 2013)

### New option suppresses printer error messages

A new option has been implemented which suppresses printer error messages. The option may be set as flag in API routine *Form\_Open\_Expanded*.

## Build 6.7.14 (December 13<sup>th</sup>, 2013)

### Font size zero

Objects with font size 0 are displayed and exported to HTML with font size 12. On export to PDF the size is converted to font size *AUTO*.

### Export order of output objects on export to HTML

Output objects are exported to HTML in the same order as they are displayed.

## Build 6.7.13 (December 10<sup>th</sup>, 2013)

### HTML input objects

If in a multiline input object with HTML format one of the characters < or > was typed, the formatting was bad. The bug has been fixed.

## Build 6.7.12 (December 02<sup>nd</sup>, 2013)

### Extended mouse selection

Selecting objects via mouse has been extended. If the SHIFT key is down when the left mouse button is pressed, always the select mode *Select by Drag* is started. This normally happens only if outside of an object is clicked.

### New HTML export option

A new option has been implemented which does not export objects which are located completely outside of any page.

### Attribute *name* in HTML Export for output objects

On HTML export the attribute *name="Name"* is created for text output objects if the name is not empty.

## Build 6.7.11 (November 22<sup>nd</sup>, 2013)

### CSS for text objects

For text objects a custom CSS style can be defined. This style is appended to the style which is created automatically if the form is exported to HTML.

### Password input objects

The option *password* has been added to the properties of edit objects. If the option is set, the content of the edit object is not displayed. The option is also exported to HTML.

### Crash on double click left or right of a page

A double click into the free space left or right of a page in the editor caused a program crash. The bug has been fixed.

### Export of combo objects with spaces as value to HTML

Combo objects containing entries with values that contain only spaces have been exported to HTML using the display name as value instead of the spaces. The bug has been fixed.

## Build 6.7.10 (October 6<sup>th</sup>, 2013)

### Bad names on exporting checkboxes to PDF

Checkboxes got bad names on export to PDF. The bug has been fixed.

## Build 6.7.9 (October 2<sup>nd</sup>, 2013)

### HTML Links can open a new Browser Tab

Text objects and picture objects can be associated with links to other pages in HTML export. Links can now have the option to open a new browser TAB.

### Horizontal alignment of pictures in HTML Export

Pictures have not been aligned horizontal in HTML export. The bug has been fixed.

### Leading spaces in text objects

Leading spaces in text objects got lost if a form was saved and loaded again. The bug has been fixed.

### Single quotes in combo box items

Single quotes in combo box items caused trouble in the form file, because it was not stored in correct XML syntax. The bug has been fixed.

### Export of watermarks to PDF

Forms with watermarks a caused a program error on export to PDF if there were checkboxes in the watermark. The bug has been fixed.

**Build 6.7.8** (September 24<sup>th</sup>, 2013)**HTML Date Picker**

The date picker, which is automatically created for forms exported to HTML, has been modified so that it is only created on click into a date input field.

**Placeholder in multiline input fields**

The attribute *Placeholder* has been exported to HTML multiline input fields even if the function was explicitly switched off. The bug has been fixed.

**Build 6.7.7** (September 22<sup>nd</sup>, 2013)**Position of RTF Objects after export to HTML**

The position of RTF objects after being exported to HTML was incorrect in some cases. The bug has been fixed.

**Exporting RTF enumerations to HTML**

On exporting RTF objects with enumerations to HTML some strange fonts have been created. The bug has been fixed.

**HTML Date Picker**

Date pickers which are defined for date input objects are available now also in the exported HTML code on a java script base.

**Build 6.7.6** (September 18<sup>th</sup>, 2013)**Export of checkboxes to HTML improved**

The label position of checkboxes exported to HTML has been improved.

**Export of €-Characters to HTML**

€ characters have not been exported to HTML. The bug has been fixed.

**Empty combo items**

Empty fields in combo box items caused some kind of entry jam. The bug has been fixed.



## Build 6.7.5 (September 16<sup>th</sup>, 2013)

### Combined export to HTML and PDF

A new function has been added which exports a form to HTML and to PDF in one step. All resulting files are stored to a ZIP-File.

### *placeholder* attributes may be switched on or off

A new option has been added to HTML export which switches the creation of *placeholder* attributes on or off.

### Empty lines and text decorations get lost in multiline input objects

In multiline input objects with HTML text format sometimes empty lines and text decorations got lost if focus changed to another input object. The bug has been fixed.

### Font size in HTML or RTF input objects

In HTML or RTF input objects the font size was too large if the input focus was inside the object. The font size has been adapted to the size which is used if the focus is not inside the object.

## Build 6.7.4 (September 3<sup>rd</sup>, 2013)

### Print object names option

A new option has been added to the print settings. If it is selected, all input fields are printed together with their names when printed in editor. The option is not available in the filler because it has no effect here.

### Edit custom strings option

All input objects of *efoms & more* provide a custom string for OEM applications to store private data. The custom string may be set or read via an API routine. Now a new option is available which enables the editing of custom strings in the editor. If the option is selected, the property dialogs of all input objects show a new button *Custom String...*

### Remove background colors in RTF or HTML input fields

In multiline input fields of type RTF or HTML it is possible to assign an explicit background color to parts of the text. Once set, the color could not be removed any more. Now the color may be removed via function *Normal* in the context menu which removes text decorations like bold or italic as well.

### Export button scripts to HTML

HTML scripts which are assigned to buttons have only been exported to HTML if the selected button action has been *Perform Javascript*. This has been changed. Now the scripts are also exported, if the button action is *Perform Macro*.

### Export of combos to HTML supports default value

Combo boxes exported to HTML use the selected default value to preselect an element in the browser.

## Build 6.7.3 (August 13<sup>th</sup>, 2013)

### New Option for Export of Paragraphs to HTML

The HTML export has been extended by a new option which allows to convert paragraphs into linefeeds on export of RTF texts.

## Build 6.7.2 (August 05<sup>th</sup>, 2013)

### Javascript Error fixed for HTML Export

Formatted fields have not been transmitted correctly. Ther error has been fixed.

### New Javascript Function for HTML Export

The function *util.scand* has been implemented for the format *DD.MM.YYYY*.

## Build 6.7.1 (July 22<sup>nd</sup>, 2013)

### Error on defining input order

On defining the order of input objects sometime a memory violation error stopped the application. The bug has been fixed.

**Build 6.7.0** (July 20<sup>th</sup>, 2013)**New input object: *Listbox***

A new object type called *Listbox* has been implemented. Listboxes are input objects. Listboxes are like combo boxes but the selection list is always expanded.

**Build 6.6.4** (July 2<sup>nd</sup>, 2013)**Support of HTML Attribute *Placeholder***

The attribute *placeholder* which is supported by HTML 5 is now supported. The short comment (status line text) is added as placeholder attribute to `<input>` and `<textarea>` tags.

**Support of *value* member in radio buttons JavaScript**

The member *value* is supported now for radio buttons in JavaScript. It may be set (caps sensitive) to *On* or *Off*.

**Build 6.6.3** (June 19<sup>th</sup>, 2013)**New Function *Delete Scripts***

A new function has been added which deletes scripts from all or selected objects.

**Attribute *hidden* is now supported in HTML-Javascripts**

The attribute *hidden* is supported for objects in HTML Javascripts.

**HTML Javascripts for checkboxes**

HTML Javascripts have not been exported to HTML for checkboxes. The bug has been fixed.

**Build 6.6.2** (June 12<sup>th</sup>, 2013)**Bugs fixed in PDF2HTML-Javascript-Converter**

Some bugs in the javascript converter from PDF to HTML have been fixed.

**Build 6.6.1** (June 6<sup>th</sup>, 2013)**Extended Configuration**

In menu *Extras* function *Settings* has been extended. You may configure now, how far objects may be moved outside the page they are located on.

**Build 6.6.0** (May 27<sup>th</sup>, 2013)**Extended Macro Error Messages**

If an error occurs while executing a macro, the name of the object and the name of the macro is displayed in the error box to help to find the bad macro code.

**Unified Java Scripts for HTML and PDF**

To make programming of Java Scripts easier, a framework has been implemented, which allows to use the PDF-Javascript-Syntax also in HTML.

**Build 6.5.8** (April 16<sup>th</sup>, 2013)**Copy Scripts Function**

A new function has been implemented which allows to copy object scripts from one script class to another. You may copy java scripts for PDF export to java scripts for HTML export and vice versa. The new function is located in menu *Objects* and here in the submenu *Scripts and Macros*.

**Build 6.5.7** (April 16<sup>th</sup>, 2013)**New function which displays all macros and scripts**

To get better control on large forms with are scripted, a new function has been implemented, which collects all scripts of all input objects and presents them as one solid unit in an editor. All scripts may be edited in one file. The function is located in menu *Objects* in submenu *Scripts and macros*.

## Build 6.5.6 (April 3<sup>rd</sup>, 2013)

### Creating *Title attributes* on export to HTML

On exporting a form to HTML the status text is exported as attribute *title=""*. Most of the browsers show this as tooltip.

### Creating *ID attributes* on export to HTML

On exporting a form to HTML an attribute *id=""* is created for all input objects. The value of the attribute is a unique ID of the form:

X-00001

The first character is:

- P, if the field must not be empty
- F, if the field may be empty

The number is unique and has always five digits with leading zeroes.

### Names of checkboxes exported to HTML

On exporting checkboxes to HTML bad names have been created. The bug has been fixed.

## Build 6.5.5 (March 8<sup>th</sup>, 2013)

### Browser configuration for HTML-Export

A new function *Browser-Options* has been added to menu *Extras*. Here you may configure if a browser is to be launched after HTML export to display the export result. It may be selected if the standard browser is to be used or if the browser type is to be selected by the user.

### Improvements for HTML Export

The following improvements have been implemented for the HTML Export:

- The frame is exported for buttons having a frame
- Lines are visible now in *Google Chrome* browser
- Invisible input fields are exported now (with attribute *hidden*)
- Read only combo boxes are exported with attribute *disabled*
- Empty items in the selection list of a combo box are exported
- A sequence of spaces in an RTF text is now exported correctly

- The positioning of radio buttons and checkboxes has been adjusted

### Macro statements acting on current page

An empty page name passed as parameter to a macro statement means that the statement affects only the current page. This is working now for all statements.

## Build 6.5.4 (February 16<sup>th</sup>, 2013)

### HTML links for pictures

Pictures may be configured with an HTML link now. This feature was already available for text objects only. If an HTML link is defined, the HTML export automatically creates a HTML link tag for the picture.

### Offline Activation

For customers who do not have an internet connection, *[e] forms & more* may be activated by entering an activation code which is distributed by Waimea Software via phone or mail.

## Build 6.5.3 (February 4<sup>th</sup>, 2013)

### Delete inputs after display of error message

A new option has been implemented for HTML export which modifies all created Java Scripts so that bad inputs are automatically deleted after displaying an error message. This option is set on default.

### RTF export to HTML

Some RTF objects have not been exported correctly to HTML. The bug has been fixed.

### Button export to HTML

The export of buttons to HTML has been completely redesigned. A new option has been implemented, which exports all buttons in the native browser default form.

## Build 6.5.2 (February 1<sup>st</sup>, 2013)

### Embedded CSS for HTML-Export

CSS-Styles may be embedded into HTML file or exported to a separate style file.

### **New Buttons for HTML export und PDF export**

New buttons have been implemented in the editor's button bar for the functions *HTML-Export* and *PDF-Export*.

## **Build 6.5.1** (January 31<sup>st</sup>, 2013)

### **Position offsets for checkbox export to HTML**

A horizontal and vertical offset may be defined which is added to the position of checkboxes when being exported to HTML. The offset may be set in the HTML export properties. The offset is used for all checkboxes of the form.

## **Build 6.5.0** (January 29<sup>th</sup>, 2013)

### **HTML Export has been redesigned**

The export of forms to HTML has been completely redesigned.

### **Export of RTF-Objects to HTML**

RTF-Objects are now exported to RTF. The following font properties are converted:

- Font Face
- Font Size
- Font Decoration (Underline)
- Font Color
- Font Styles (Italic, Bold)

### **CSS-Style-Sheets supported on HTML-Export**

On export to HTML CSS-Style Sheets may be defined as template. On export a CSS-file is created together with destination file. CSS files may be either generated automatically or manually.

### **Separate menu items for HTML and PDF export**

The export to HTML and PDF has been splitted into two menu items: *Export to HTML* and *Export to PDF*.

### **License for HTML-Export**

The HTML export is not any longer included in the standard editor license. It must be licensed on its own. A demo license may be installed to try all functions for a limited time.

## Build 6.4.5 (January 27<sup>th</sup>, 2013)

### XML Macro statements

A set of new macro statements has been implemented which allows to assemble XML files:

*XMLCreate*  
*XMLDelete*  
*XMLGetRoot*  
*XMLAddChild*  
*XMLSetAttr*  
*XMLWriteFile*

The statements are described in the documentation *General Macro Statements* which is currently available only in German.

### New macro statement to create an XML node for an AVM FritzBox phone book

A new macro statement has been implemented:

*XMLAddFritzContactNode*

It creates an XML node for a phone book entry of a Fritz!Box which is build by AVM. All field which have an associated meaning, like *Name* or *Private Phone Number*, are exported to the XML node.

## Build 6.4.4 (January 13<sup>th</sup>, 2013)

### Watermarks for single pages

Like form watermarks, which are shown on every page of the form, page watermarks have been implemented, which may be selected for every single page.

### Size of text and input objects may be edited in property sheets

The height and width of text and input objects is offered in the property sheets and may be changed here.

### Watermarks are exported to PDF

Watermarks will be exported to PDF now.



### Editor buttons for top and bottom alignment

Buttons have been added to editor to align objects at top or bottom frame.

### VCF Export

On export of form to a VCF file the item FN:name is written now, The item is used to specify the display name.

## Build 6.4.3 (January 1<sup>st</sup>, 2013)

### Move lines up

Selected lines could not be moved up by cursor keys since version 6.3.0. The bug has been fixed.

### Enlarging objects to top or left

Objects could not be enlarged to top or left since version 6.3.0. The bug has been fixed.

### Setting input order for input fields which are not entered by TAB keys

Input fields which are marked not to be entered by TAB keys have not been affected when setting the TAB input order. The bug has been fixed.

## Build 6.4.2 (December 4<sup>th</sup>, 2012)

### Macro Statement for Browser start has been implemented

A new Macro Statement *OpenBrowser* has been implemented. The standard browser is started with the URL passed as parameter.

### Ligatures „fl“ und „fi“ in Unicode coded RTF Files

In Unicode coded RTF Files the ligatures „fl“ und „fi“ have not been converted correctly. The bug has been fixed.

### Form encryption

Since Version 6 forms are stored in an XML based format and are readable for everybody. To protect forms the new function *Encrypt form file* has been added. It may be activated in function Password in menu *Form*. If the option is set, all form file will be encrypted.

The decryption on opening an encrypted form is performed automatically.

**Build 6.4.1** (November 9<sup>th</sup>, 2012)**API-Function *Form\_FindNextObject* has been extended for water marks**

API-Function *Form\_FindNextObject*, which finds objects in the form or on form pages, has been extended, so that objects of water marks can be found as well. With this feature you may read or modify properties of water mark objects. To find objects on the water mark, the page name "watermark" must be passed.

**Bug fixed in date picker**

In input objects with an associated date picker it was not possible to select the current date. The bug has been fixed.

**Refresh bug fixed when attaching objects to a zone**

The function *Attach selected objects to enclosing zone* did not refresh the object's display after attaching to zone. The bug has been fixed.

**Bug fixed in zone properties dialog**

The zone distance was not stored to form when its value has been changed in the zone properties dialog. The bug has been fixed.

**Build 6.4.0** (November 1<sup>st</sup>, 2012)**Export of page zones to HTML and PDF**

The page zones which have been released in version 6.3.0 are exported to HTML and PDF now.

**Build 6.3.0** (October 28<sup>th</sup>, 2012)**Page Zones**

In this version **Page Zones** have been implemented. Page Zones are a powerful tool has been implemented to design forms which can be modified during runtime.

Page zones are horizontal bars on a page. The height may be designed individually. The width is always the page width. All objects of the form may be either associated either with a page (like it used to be) or with a zone.

If a page zone is moved, all objects which are associated with the zone are moved as well.

Page zones may be expanded or collapsed during runtime. Expanding or collapsing can be performed on a button click or automatically if the content of a checkbox or an input object changes. If a page zone is collapsed, the objects are not visible any longer. In this state they may not be filled out any longer.

Page zones may have a static or dynamic position. Zones with a dynamic position will be automatically moved up if another page zone above is collapsed.

Page zones make it possible to create interactive form structures.

### XML form files

From version 6.3.0 on all form files have XML syntax. The extension *\*.fvf* is not renamed and coexists with the extension *\*.xml*.

### XML clipboard format

Objects being copied to clipboard are written in XML format. The clipboard content may be pasted in every text editor.

### Gradient background colors

The background of all rectangular objects may be designed with gradient colors in horizontal or vertical direction. Gradients may not be exported to PDF.

### New property dialogs for all objects

The property dialogs of all object types have been redesigned. The items to control the gradient background properties have been added.

### Water Marks

In menu *Form* new function *Water Marks* has been added. You can select another form here whose first page is shown as water mark in the background of every page of the form.

### Send unused keys as hotkey to host application

A new API function *Form\_WantHotKey* has been implemented to define keys as hotkey. Hotkeys are not processed by the form software any longer but sent to host window as notification.

### Copy and paste object backgrounds

A new function has been implemented to copy any object background design to clipboard and to paste it from there to other objects. Gradients and colors are transferred as well.

### Extended context menus

Some context menus have been extended by some useful functions, such as adjust object sizes.

### Better API interface

Most of API functions for programmers have been improved. The manual has been redesigned completely. All functions are fully compatible with former versions.

## Build 6.2.3 (August 23<sup>rd</sup>, 2012)

### User defined Function *OnSubmit* for HTML Export

On exporting a form to HTML the function *OnSubmit* which is created automatically may be overloaded by a user defined function.

### JavaScript Code for event *OnClick*

The JavaScript-Code for the event *OnClick* of an object has not been transferred to the HTML document on HTML export. The bug has been fixed.

## Build 6.2.2 (August 17<sup>th</sup>, 2012)

### More detailed notification messages for checkboxes

Notification messages being sent, if a checkbox changes its state, will be sent also if the checkbox has been changed by a macro script. If more than one checkbox changes as the result of one single script statement, a separate notification is sent for every changed checkbox.

## Build 6.2.1 (July 1<sup>st</sup>, 2012)

### Notification message if an input object gets the focus

A new notification message has been implemented, which is always sent if an object gets the input focus. It doesn't matter how the focus gets into the object. The notification is also sent, if the form window comes on top and the current field gets the focus.

The notification has the identifier `FORMMSG_OBJECT_GETS_FOCUS`.

The value is 162.

The object is passed as parameter.

### Notification message on double clicking an input object

A new notification message has been implemented, which is always sent if a double click is performed on an input object.

The notification has the identifier `FORMMSG_LBUTTONDBLCLK_OBJECT`.

The value is 146.

The object is passed as parameter.

## Build 6.2.0 (June 14<sup>th</sup>, 2012)

### Separate license keys for *Editor* and *Filler*

Separate license keys have to be used for editor and filler. This has become necessary because the filler is distributed as a separate product from this version on.

The filler is still part of the package. Customers who buy *[e] forms and more* get both license keys, one for the editor and one for the filler.

## Build 6.1.0 (June 7<sup>th</sup>, 2012)

### Bugfix

A bug has been fixed in display of German *Umlauts* in RTF texts.

**Build 6.0.2** (May 21<sup>st</sup>, 2012)**Proxy Server Support for Activating Software**

When activating this software, a HTTP-Server is accessed. For this access a proxy server support has been implemented.

**Build 6.0.1** (May 8<sup>th</sup>, 2012)**New Function *Edit Font Color***

A new function has been implemented which edits the font color of all selected objects. The font color may be any RGB-Value. In former versions only 16 font colors could be used.

**Build 6.0.0** (April 25<sup>th</sup>, 2012)**Date picker switchable for single fields**

The date picker may be switched on or off for every single date input field. The feature which disables date pickers for the complete form remains available as well.

**License System**

[e] forms & more must be activated online now with a valid license key. Once activated, you can download all new versions and updates free until the major version changes.

**New About Window**

The About Window which shows interesting information about the application has been redesigned completely. The activation and deactivation of the product on the local machine may be managed here.

## Version 5.9

### Build 5.9.10 (April 15<sup>th</sup>, 2012)

#### Group name is added to stack operations

The group name is added to the table of object properties which is presented in function "Edit multiple object properties".

### Build 5.9.9 (February 13<sup>th</sup>, 2012)

#### Date picker for PDF-Export

If option *Date Picker* has been activated in *Runtime options* in menu item *Form*, every time you enter a date input field a date picker is shown automatically.

This feature is now also available in the PDF-File if you export a form to a PDF file.

#### Bug fix in export of RTF-objects to PDF

A bug has been fixed in exporting RTF-Objects with a line spacing of 1,5 to a PDF-File.

### Build 5.9.8 (January 21<sup>st</sup>, 2012)

#### Bugfix in *ChangeFlag*

The form's *change flag*, which indicates if a form has been changed while filling out, has not been set correctly in all cases. Some macro statements did not work well because of this. The bug has been fixed.

### Build 5.9.7 (December 13<sup>th</sup>, 2011)

#### Automatic font sizing

A new option has been implemented in function *Runtime Options* in menu item *Form*. If the option is set, fonts will be automatically made smaller while print or display, if the content of an object does not fit completely into the object.

The automatic sizing does not change the specified font size in the object. It just is changed while runtime.

### **Build 5.9.6** (October 31<sup>st</sup>, 2011)

#### **Default text and help text is truncated in XML files.**

When saving a form as XML file and reopening the form again, long default or help texts have been truncated. The bug has been fixed.

#### **Dotted lines in PDF export**

Dotted lines will be exported well to PDF bow. A Bug has been fixed.

### **Build 5.9.5** (October 19<sup>th</sup>, 2011)

#### **Changed pages marker**

A new option has been implemented which shows a marker in the upper right corner of every page, if any input on this page has been changed. The option may be set in function *Display Options* in menu item *Form*.

#### **New macro statements**

The following new macro statements have been implemented:

- `GetPageNrByName`
- `SetRuntimeChangeFlag`
- `GetRuntimeChangeFlag`
- `CountRuntimeChangedPages`

*GetPageNrByName* results the number of a page depending on page name.

*SetRuntimeChangeFlag* and *GetRuntimeChangeFlag* set or result any page's change flag which indicates if the page content has been changed during runtime.

*CountRuntimeChangedPages* results how many pages of the form have been changed during runtime.



### New print option

When printing a form you may choose the option to print only those pages which have been changed. The options may be stored in the form template as a print option.

## Build 5.9.4 (October 14<sup>th</sup>, 2011)

### New look and feel

The *look and feel* of the software has been adapted to the newest Windows version. The menu bar and all dialogs appear in a modern shape.